

# Quest Noise Dosimeters/Analyzers



Part No.	Description
<b>NoisePro Type 2 Noise Dosimeter</b>	
<b>NP</b>	<b>NoisePro Noise Dosimeter:</b> Includes NoisePro dosimeter with Type 2 pendant microphone, WS-NP-T2 windscreen, 53-884 calibrator adapter, 98-568 Training/Demo CD and 53-879 storage case.
<b>NP-CBL</b>	<b>Same as above plus 53-857 Infrared Serial Computer Cable</b>
<b>NP-10</b>	<b>NoisePro Dosimeter Kit:</b> Includes NoisePro dosimeter with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator and 53-879 storage case.
<b>NP-10QSP</b>	<b>NoisePro Dosimeter/QuestSuite Professional Kit:</b> Includes NoisePro dosimeter with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator, QuestSuite Professional Software and 53-879 storage case.
<b>5NP-10</b>	<b>NoisePro 5-Pack Dosimeter Kit -</b> Includes (5) NoisePro dosimeters with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator and 56-975 watertight storage case.
<b>5NP-10QSP</b>	<b>NoisePro 5-Pack Dosimeter/QuestSuite Professional Kit -</b> Includes (5) NoisePro dosimeters with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator, QuestSuite Professional Software and 56-975 watertight storage case.
<b>NoisePro DL Type 2 Noise Dosimeter</b>	
<b>NP-DL</b>	<b>NoisePro DL Noise Dosimeter:</b> Includes NoisePro DL dosimeter with Type 2 pendant microphone, WS-NP-T2 windscreen, 53-884 calibrator adapter, 98-568 Training/Demo CD and 53-879 storage case.
<b>NP-DL-CBL</b>	<b>Same as above plus 53-857 Infrared Serial Computer Cable</b>
<b>NP-DL10</b>	<b>NoisePro DL Dosimeter Kit:</b> Includes NoisePro DL dosimeter with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator and 53-879 storage case.
<b>NP-DL10QSP</b>	<b>NoisePro DL Dosimeter/QuestSuite Professional Kit:</b> Includes NoisePro DL dosimeter with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator, QuestSuite Professional Software and 53-879 storage case.
<b>5NP-DL10</b>	<b>NoisePro DL 5-Pack Dosimeter Kit -</b> Includes (5) NoisePro DL dosimeters with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator and 56-975 watertight storage case.
<b>5NP-DL10QSP</b>	<b>NoisePro DL 5-Pack Dosimeter/QuestSuite Professional Kit -</b> Includes (5) NoisePro DL dosimeters with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator, QuestSuite Professional Software and 56-975 watertight storage case.
<b>NoisePro DLX Type 2 Noise Dosimeter</b>	
<b>NP-DLX</b>	<b>NoisePro DLX Noise Dosimeter:</b> Includes NoisePro DLX dosimeter with Type 2 pendant microphone, WS-NP-T2 windscreen, 53-884 calibrator adapter, 98-568 Training/Demo CD and 53-879 storage case.
<b>NP-DLX-CBL</b>	<b>Same as above plus 53-857 Infrared Serial Computer Cable</b>
<b>NP-DLX10</b>	<b>NoisePro DLX Dosimeter Kit:</b> Includes NoisePro DLX dosimeter with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator and

53-879 storage case.

**NP-DLX10QSP** **NoisePro DLX Dosimeter/QuestSuite Professional Kit:** Includes NoisePro DLX dosimeter with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator, QuestSuite Professional Software and 53-879 storage case.

**5NP-DLX10** **NoisePro DLX 5-Pack Dosimeter Kit** - Includes (5) NoisePro DLX dosimeters with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator and 56-975 watertight storage case.

**5NP-DLX10QSP** **NoisePro DLX 5-Pack Dosimeter/QuestSuite Professional Kit** - Includes (5) NoisePro DLX dosimeters with accessories, 53-857 Infrared serial computer cable, QC-10 Calibrator, QuestSuite Professional Software and 56-975 watertight storage case.

#### **NoisePro DLX-1 Type 1 Noise Dosimeter**

---

**NP-DLX-1** **NoisePro DLX-1 Noise Dosimeter:** Includes NoisePro DLX-1 dosimeter with Type 1 pendant microphone, windscreen, 56-990 calibrator adapter, 98-568 Training/Demo CD and 53-879 storage case.

**NP-DLX-1-CBL** **Same as above plus 53-857 Infrared Serial Computer Cable**

**NP-DLX-120** **NoisePro DLX-1 Dosimeter Kit:** Includes NoisePro DLX-1 dosimeter with accessories, 53-857 Infrared serial computer cable, QC-20 Calibrator and 53-879 storage case.

**NP-DLX-120QSP** **NoisePro DLX-1 Dosimeter/QuestSuite Professional Kit:** Includes NoisePro DLX-1 dosimeter with accessories, 53-857 Infrared serial computer cable, QC-20 Calibrator, QuestSuite Professional Software and 53-879 storage case.

**5NP-DLX-120** **NoisePro DLX-1 5-Pack Dosimeter Kit** - Includes (5) NoisePro DLX-1 dosimeters with accessories, 53-857 Infrared serial computer cable, QC-20 Calibrator and 56-975 watertight storage case.

**5NP-DLX-120QSP** **NoisePro DLX-1 5-Pack Dosimeter/QuestSuite Professional Kit** - Includes (5) NoisePro DLX-1 dosimeters with accessories, 53-857 Infrared serial computer cable, QC-20 Calibrator, QuestSuite Professional Software and 56-975 watertight storage case.

#### **Q-100 Datalogging Type 2 Noise Dosimeter**

---

**Q-100** **Q-100 Type 2 Noise Logging Dosimeter** - Q-100, WS-5 windscreen, 56-989 calibrator adapter, 56-830 cord (clothing) clip, QuestSuite Professional Limited\*\* version of the all-new "system solution" software application, 56-707 serial computer interface cable, and 56-855 storage case.

**Q-10010** **Q-100 Dosimeter Kit** - Q-100 with accessories, QC-10 Calibrator and 56-855 storage case.

**Q-10010QSP** **Q-100 Dosimeter/QuestSuite Professional Kit** - Q-100 with accessories, QC-10 Calibrator, QuestSuite Professional Software and 56-855 storage case.

**5Q-10010** **Q-100 5-Pack Dosimeter Kit** - (5) Q-100's with accessories, QC-10 Calibrator and 58-865 carrying case.

**5Q-10010QSP** **Q-100 5-Pack Dosimeter/QuestSuite Professional Kit** - (5) Q-100's with accessories, QC-10 Calibrator and QuestSuite Professional Software and 58-865 carrying case.

**10Q-10010** **Q-100 10-Pack Dosimeter Kit** - (10) Q-100's with accessories, QC-10 Calibrator and 58-866 carrying case.

**10Q-10010QSP Q-100 10-Pack Dosimeter/QuestSuite Professional Kit** - (10) Q-100's with accessories, QC-10 Calibrator, QuestSuite Professional Software and 58-866 carrying case.

**\*\*QuestSuite Professional Limited version provides full functionality for the AQ-5000PRO, AQ5001PRO and Q-100 Series Noise Dosimeter.**

#### **Q-400 Datalogging Type 2 Noise Analyzer**

---

**Q-400 Q-400 Datalogging Type 2 Noise Analyzer** - Q-400, WS-5 windscreen, 56-989 calibrator adapter, 56-830 cord (clothing) clip, 56-707 serial computer interface cable and 56-974 storage case.

**Q-40010 Q-400 Dosimeter Kit** - Q-400 with accessories, QC-10 Calibrator and 56-974 storage case.

**Q-40010QSP Q-400 Dosimeter/QuestSuite Professional Kit** - Q-400 with accessories, QC-10 Calibrator, QuestSuite Professional Software and 56-974 storage case.

**5Q-40010 Q-400 5-Pack Dosimeter Kit** - (5) Q-400's with accessories, QC-10 Calibrator and 56-975 carrying case.

**5Q-40010QSP Q-400 5-Pack Dosimeter/QuestSuite Professional Kit** - (5) Q-400's with accessories, QC-10 Calibrator, QuestSuite Professional Software and 56-975 carrying case.

**10Q-40010 Q-400 10-Pack Dosimeter Kit** - (10) Q-400's with accessories, QC-10 Calibrator and 56-976 carrying case.

**10Q-40010QSP Q-400 10-Pack Dosimeter/QuestSuite Professional Kit** - (10) Q-400's with accessories, QC-10 Calibrator, QuestSuite Professional Software and 56-976 carrying case.

#### **Q-500 Datalogging Type 1 Noise Analyzer**

---

**Q-500 Q-500 Datalogging Type 1 Noise Analyzer** - Q-500, 56-826 shoulder-mount preamp & microphone cable, WS-7 windscreen, 56-990 calibrator adapter, 56-830 cord (clothing) clip, 56-707 serial computer interface cable and 56-974 storage case.

**Q-50020 Q-500 Dosimeter Kit** - Q-500 with accessories, QC-20 Calibrator and 56-855 storage case.

**Q-50020QSP Q-500 Dosimeter/QuestSuite Professional Kit** - Q-500 with accessories, QC-20 Calibrator, QuestSuite Professional Software and 56-855 storage case.

**Special Note: When ordering a multi-pack noise dosimeter kit, you will only receive one calibrator adapter and one computer serial interface cable (cable is only included if ordering a datalogging model).**

#### **Outdoor Measurement System Conversion Kit**

---

**56-727 Kit for Q-500 Noise Analyzer** - includes necessary masts, windscreen, cables, battery packs, adapters, and water resistant carrying case. Does not include Q-500.

**56-730 Pre-Amp for Q-500 (Required)**

#### **Replacement Parts for Outdoor Measurement Systems**

---

**56-463 Windscreen/weather shield**

**56-464 Bird Spikes**

### **Dosimeter Mic's, Mic Cables, Pre-Amps and Mic Accessories**

---

<b>53-867</b>	<b>Field Replaceable Type 2 Pendant Microphone</b> for NoisePro/DL/DLX
<b>53-887</b>	<b>Field Replaceable Type 2 Boom Microphone</b> for NoisePro/DL/DLX
<b>53-877</b>	<b>Field Replaceable Type 1 Shoulder-Mount Microphone Preamp and Cable</b> for NoisePro DLX-1
<b>59-523</b>	<b>1/2 Inch B&amp;K Precision Microphone</b> for NoisePro DLX-1 and Q-500
<b>59-847</b>	<b>Field Replaceable Microphone</b> for Q-200/Q-220P
<b>56-963</b>	<b>Field Replaceable Microphone</b> for Q-100/Q-300/Q-400
<b>56-826</b>	<b>Field Replaceable Shoulder-Mount Microphone Preamp &amp; Cable</b> for Q-500
<b>WS-NP-T1</b>	<b>Windscreen</b> (for NoisePro Type 1 microphone) - Package of 3
<b>WS-NP-T2</b>	<b>Windscreen</b> (for NoisePro Type 2 microphone) - Package of 10
<b>WS-5</b>	<b>Windscreen</b> (for Q-100,Q-200,Q-220P,Q-300 & Q-400) - Package of 10
<b>WS-2</b>	<b>Windscreen</b> (for NoisePro & Q-500 Type 1 microphone) - Package of 10
<b>EARLOOPS</b>	<b>Earloops</b> (to hold Dosimeter microphones) - Package of 10
<b>56-830</b>	<b>Clothing Clips</b> - Package of 5
<b>BC-5</b>	<b>Badge Clip</b> - Package of 5
<b>VS-5</b>	<b>Velcro Strip</b> - adheres windscreen to Q-series dosimeter microphone - Package of 5

### **Dosimeter Cables, Converters and Cases**

---

<b>53-857</b>	<b>Infrared Serial Computer Cable</b> to connect computer RS-232 9-Pin DIN port to NoisePro IR port.
<b>53-810</b>	<b>Infrared to USB Adapter</b> to connect 053-857 Infrared serial computer cable to computer USB Port.
<b>53-888</b>	<b>IR to Parallel Converter</b> to connect NoisePro IR port to ASCII-compatible Centronics parallel printer port. Includes US-style 110 VAC power adapter.
<b>53-889</b>	<b>IR to Parallel Converter</b> to connect NoisePro IR port to ASCII-compatible Centronics parallel printer port. Includes US-style 220 VAC power adapter.
<b>53-879</b>	<b>Single-Unit Storage Case</b> - Holds (1) NoisePro Dosimeter and (1) Calibrator
<b>56-974</b>	<b>Single-Unit Storage Case</b> - Holds (1) Q-series Dosimeter and (1) Calibrator
<b>56-977</b>	<b>Water Resistant Carrying Case</b> - Holds (1) Dosimeter & (1) Calibrator
<b>56-975</b>	<b>Water Resistant Multi-Unit Storage Case</b> - Holds (5) Dosimeters & (1) Calibrator (NoisePro, Q-200, Q-220P, Q-300, Q-400, Q-500)
<b>58-865</b>	<b>Water Resistant Multi-Unit Carrying Case</b> - Holds (5) Q-100 Dosimeters & (1) Calibrator
<b>56-976</b>	<b>Water Resistant Multi-Unit Carrying Case</b> - Holds (10) Dosimeters & (1) Calibrator (NoisePro, Q-200, Q-220P, Q-300, Q-400, Q-500)
<b>58-866</b>	<b>Water Resistant Multi-Unit Carrying Case</b> - Holds (10) Q-100 Dosimeters & (1) Calibrator
<b>56-722</b>	<b>Protective Leather Case</b> for Q-200/Q-220P/Q-300/Q-400/Q-500
<b>56-748</b>	<b>Parallel Printer Interface Cable</b> for Q-220P
<b>56-957</b>	<b>Parallel Printer Interface Cable</b> for Q-100/Q-300/Q-400/Q-500
<b>56-707</b>	<b>Serial Computer Cable</b> to IBM or Compatible PC for Q-100/Q-300/Q-400/Q-500
<b>59-703</b>	<b>Input Adapter</b> (female BNC 20 1/2 inch microphone, 18 pf capacitance)

for Q-500 dosimeters to a signal generator

### Dosimeter Calibrators and Adapters

---

- QC-20** **Sound Calibrator** w/Selectable Output (114dB or 94dB at 1000Hz or 250Hz)-  
**Note:** Calibrator adapter is provided with the meter when purchased. If purchasing a calibrator only, the appropriate calibrator adapter needs to be purchased separately.
- QC-10** **Sound Calibrator** w/Single Output (114dB at 1000Hz)- **Note:** Calibrator adapter is provided with the meter when purchased. If purchasing a calibrator only, the appropriate calibrator adapter needs to be purchased separately.
- 56-990** **Adapter** - For NoisePro Type 1 microphone - For "QC" series calibrators
- 53-884** **Adapter** - For NoisePro Type 2 microphone - For "QC" series calibrators
- 56-989** **Adapter** - For 8mm diameter microphone (dosimeters) - For "QC" series calibrators

### Miscellaneous Dosimeter Accessories & Options

---

- 53-811** **NoisePro Series Replacement Battery Cover**
- 56-743** **Q-Series Replacement Battery Cover**
- 53-862** **NoisePro Series Vibrating Belt Clip**
- 56-970** **AC/DC Adapter** for older Q-400/Q-500 models w/metal battery holder - Requires #56-067 below, or 12-24VDC or 9-18VAC power source
- 56-973** **AC/DC Adapter** for newer Q-200/Q-300/Q-400/Q-500 models w/plastic battery holder - Requires #56-067 below, or 12-24VDC or 9-18VAC power source
- 56-067** **Model 920 AC Power Supply** for Q-200/Q-300/Q-400/Q-500 - 120VAC to 9VDC
- 59-045** **TP-1 Tripod** (larger, ~ 46 inches, will not fit in a carrying case)
- 59-046** **TP-2 Tripod** (smaller, ~ 33.5 inches, will fit in some carrying cases)

**[Audiometric Equipment](#) | **[Noise Dosimeters](#)** | **[Sound Level Meters](#)** | **[Vibration Monitors](#)** | **[Gas Detection Monitors](#)** | **[Indoor Air Quality Monitors](#)** | **[Heat Stress Monitors](#)** | **[Thermal Environment Monitors](#)** | **[Questsuite Application Software](#)** | **[Sitemap](#)****

**COLL**  
**HEALTH AND SAFETY INC.**

15 - 145 Traders Blvd. East  
 Mississauga, ON L4Z 3L3  
 p: 905 625 3994 f: 905 625 6684  
 t: 1.800.267.9317 e: bruce@collhealth.com  
 w: [www.collhealth.com](http://www.collhealth.com)